

***DT SWISS***

Dampery

Niniejszy katalog obejmuje pełną kolekcję DT Swiss.  
Dostępność produktów w poszczególnych krajach, może się różnić.

# DAMPERY



**XR CARBON**



**XM 180**



**M 212**

# TECH SPECS

Model	Waga [g] @ 165 mm e-t-e	Długość x skok [mm]	Komora powietrza, finish	Spring system	Tłumienie	Regulacje	Zdalna manetka	Sposób mocowania	Standardowe tuleje
<b>XR Carbon</b>	142	165 x 37.5 190 x 50 200 x 50 200 x 55	Carbon fiber	ABS	Superlight, factory tuned hydraulic damping circuit lockout	Rebound Compression lockout	option	ball joint	22.2 / 25.4 x 6/8
<b>XM 180</b>	177	165 x 37.5 190 x 50 200 x 50 200 x 55	Aluminium black anodized	ABS	Superlight, factory tuned hydraulic damping circuit lockout	Rebound Compression lockout	option	ball joint	22.2 / 25.4 x 6/8
<b>M212</b>	198	165 x 37.5 190 x 50 200 x 50 200 x 55	Aluminium black anodized	ABS	HS & LS rebound HS & LS compression lockout	Rebound Compression lockout	n.a.	ball joint	22.2 / 25.4 x 6/8
<b>M212 Remote</b>	218 incl. Lever	165 x 37.5 190 x 50 200 x 50 200 x 55	Aluminium black anodized	ABS	HS & LS Rebound HS & LS Compression lockout	Rebound Compression lockout	standard	ball joint	22.2 / 25.4 x 6/8